



## PREMIUM

★★★★

**Gauge**  
29 and 26

**Paint System**  
Signature® 200  
20 Colors

**Substrate**  
Galvalume

**Warranty**  
40-Year Film Integrity

**Final color selection should be made from metal color chips.**

- For the most current information available, visit our website at [www.abcmetalroofing.com](http://www.abcmetalroofing.com).
- See the product catalog for gauge and color availability.
- Review the sample warranty for complete performance attributes, exceptions, and terms and conditions.
- Trim is available in all colors.

Available in 29 Gauge



Buckskin★



Evergreen★



Hawaiian Blue★



Clay★




Radiant Red★



Desert Sand★




Burgundy★



Polar White★  
(also available in G-90 Galvanized)




Coal Black★



Vintage White



Galvanized



Regal White★



Rustic Red★



Saddle Tan★



Koko Brown★



Light Stone★



Cobalt Blue★



Gray★



Ivy Green★



Charcoal Gray★



Burnished Slate★



Galvalume Plus®

Available in 26 Gauge



★ ENERGY STAR® Qualified



**Final color selection should be made from metal color chips.**

- For the most current information available, visit our website at [www.abcmetalroofing.com](http://www.abcmetalroofing.com).
- See the product catalog for gauge and color availability.
- Review the sample warranty for complete performance attributes, exceptions, and terms and conditions.
- Trim is available in all colors.

### Select40<sup>1</sup> ★★★

**Gauge**  
29

**Paint System**  
Signature® 200  
12 Colors

**Substrate**  
Galvalume

**Warranty**  
40-Year Film Integrity

	Burnished Slate
	Charcoal Gray
	Coal Black
	Desert Sand
	Gray
	Ivy Green
	Koko Brown
	Light Stone
	Polar White
	Regal White
	Rustic Red
	Saddle Tan

### Econo20<sup>1</sup> ★★

**Gauge**  
29

**Paint System**  
Signature® 200  
10 Colors

**Substrate**  
Varies

**Warranty**  
20-Year Film Integrity

	Burnished Slate
	Charcoal Gray
	Gray
	Ivy Green
	Koko Brown
	Light Stone
	Polar White
	Regal White
	Rustic Red
	Saddle Tan

### Commodity<sup>1</sup> ★

**Gauge**  
30

**Paint System**  
Siliconized Modified Polyester  
6 Colors

**Substrate**  
Varies


**Warranty**  
None

	Charcoal Gray
	Ivy Green
	Koko Brown
	Light Stone
	Polar White
	Rustic Red

<sup>1</sup>Thumbnail colors are ink representations of Premium paint chips on cover.

# PRODUCT AND COLOR SELECTION

Thumbnail colors are ink representations of Premium paint chips on cover.




	Post Frame / Agricultural / Residential 40-7/8"					Concealed Fastener		Retro-Fit	
	29 Ga. Premium	26 Ga. Premium	29 Ga. Select40	29 Ga. Econo20	30 Ga. Commodity	29 Ga. Premium	26 Ga. Premium	29 Ga. Premium	26 Ga. Premium
Buckskin 727	■					■		■	
Burgundy 717	■					■		■	
Burnished Slate 212	■	■	■	■		■	■	■	■
Charcoal Gray 219	■	■	■	■	■	■	■	■	■
Clay 238	■					■		■	
Coal Black 203	■		■			■		■	
Cobalt Blue 209	■	■				■	■	■	■
Desert Sand 217	■		■			■		■	
Evergreen 234	■					■		■	
Gray 725	■	■	■	■		■	■	■	■
Hawaiian Blue 204	■					■		■	
Ivy Green 712	■	■	■	■	■	■	■	■	■
Koko Brown 215	■	■	■	■	■	■	■	■	■
Light Stone 206	■	■	■	■	■	■	■	■	■
Polar White 202	■		■	■	■	■		■	
Radiant Red 730	■					■		■	
Regal White 702	■	■	■	■		■	■	■	■
Rustic Red 207	■	■	■	■	■	■	■	■	■
Saddle Tan 221	■	■	■	■		■	■	■	■
Vintage White 230	■					■		■	
Galvalume Plus® 018	■	■				■	■	■	■
Galvanized 001	■								

■ Premium


## Commercial

26 gauge Premium  
See Commercial and Industrial  
color chart for color availability.




## Corrugated

29 gauge Galvalume Plus®



## 5V Crimp

26 gauge and 29 gauge  
Galvalume Plus®



# TRIM APPLICATIONS

ABC offers one of the broadest selections for post-frame and residential trim applications. Custom trims are also available. Please contact your sales representative for details.


**LG 101** PLAIN RIDGE CAP\*




**LG 104** NOTCHED ENDWALL FLASHING




**LG 105** NOTCHED UPPER GAMBREL FLASHING




**LG 106** NOTCHED LOWER GAMBREL FLASHING




**LG107** DENVER ENDWALL FLASHING



**LG 108** SIDEWALL FLASHING




**LG 109** DENVER SIDEWALL FLASHING




**LG 110** BASE TRIM\*



**LG 111** SQUARE BASE ANGLE\*




**LG 113** CORNER TRIM




**LG 115** INSIDE CORNER




**LG 117** RAKE TRIM




**LG 118** DENVER GABLE




**LG 119** EAVE FLASHING




**LG 120** DENVER EAVE TRIM



**LG 123** "J" CHANNEL




**LG 125** 9/4" DOOR JAMB




**LG 126** DOOR POST TRIM\*




**LG 129** WINDOW DRIP CAP\*




**LG 130** SLIDING DOOR DRIP CAP




**LG 131** NATIONAL DOOR TRACK COVER




**LG 132** COMBO TRACK COVER




**LG 133** TOP MOUNT TRACK COVER




**LG 134** TRACK DOOR JAMB TRIM



**LG 138 / LG 139**  
"W" FORMED VALLEY\*



**LG 148** "F" CHANNEL



\*Refer to the 29-gauge product manual for variable trim dimensions.



**ABCMetalRoofing.com**  
 Adel, GA 877.595.6604  
 Lubbock, TX 877.695.0477  
 Memphis, TN 877.774.0157  
 Mount Pleasant, IA 877.768.9460  
 Nicholasville, KY 877.780.2119  
 Oklahoma City, OK 877.795.4399  
 Omaha, NE 877.804.3230  
 Phoenix, AZ 877.774.6219  
 Rome, NY 877.785.0821  
 Salt Lake City, UT 877.814.1419

Descriptions and specifications contained herein were in effect at the time this publication was approved for printing. In a continuing effort to refine and improve our products, American Building Components reserves the right to discontinue products at any time or change specifications and/or designs without incurring obligation. To ensure you have the latest information available, please inquire or visit our website at [www.abcmetalroofing.com](http://www.abcmetalroofing.com). Application details are for illustration purposes only and may not be appropriate for all environmental conditions, building designs or panel profiles. Projects should be designed to conform to applicable building codes, regulations and accepted industry practices.